Differential Impacts of Demographics in Biometric Systems

Dr. John W. M. Campbell

NIST IFPC

November 27, 2018

Contact: john@bionbiometrics.com







Introduction to Demographic Performance Variation

- Historically, facial recognition is known to have problems
- Google's problem with misclassified gorillas (2015)
- Congress attacks FBI for 20% error rate on NGI facial recognition. Doesn't work for coloured people (2017)
- "Gender Shades" Problems with face detection and gender classification from IBM, Microsoft and Face++. Works for white males but not black females (2017)
- Hearings at House Oversight and Government Reform's Subcommittee on Information Technology on bias in AI systems (2018)
- Lots of press, lots of "noise"
- Is it a real issue that we need to worry about operationally?



ISO Technical Report – Trying to Explore the Problem

- ISO/IEC Technical Report 22116 "Identifying and mitigating the differential impact of demographic factors in biometric systems"
- Editor Canada (DRDC), Co-Editors US and Australia
- Participating Countries
 - Australia, Canada, Finland, Germany, Italy, Israel, Japan, New Zealand, Spain, South Africa, UK, US
- Focus Areas
 - Impact of sex, age and ethnicity on iris, face, and fingerprint
- History
 - Ballot to initiate in Fall, 2016
 - First base document in January, 2017
 - Expected publication in 2020



ISO Technical Report – Trying to Explore the Problem

- Technical Reports are not binding like standards but give advice and summarize research on newer, developing topics
- In this case, the TR is being used to raise awareness of the problem and encourage new research from participating countries
- Some agencies are undertaking new research (US NIST, Canada DRDC) and some have contributed existing research (Canada CBSA)
- Lots of information for facial recognition but much less for other modalities
- Some results seem to match with common sense
 - Fingerprint recognition is harder for older people (dry skin, arthritis, etc.)
 - Facial recognition has poor accuracy for young children (faces change a lot as you age from a baby to a toddler to a child)
- Some results are less obvious




ISO Technical Report – Summary of Results

Fingerprint Recognition

- Average quality scores for females tend to be lower than for males
- Females get rejected more than males for poor quality
- Matching accuracy for females may not be, on average, worse than for males

Iris Recognition

- Failure to Enrol rates are higher for children under 12 and adults over 70
- Hamming distances are higher (i.e. match scores are lower) for children under 12 and adults over 70





ISO Technical Report – Summary of Results

- Facial recognition has much higher error rates for young children than for adults.
 - At a fixed threshold, false match rate (FMR) and false non-match rate (FNMR) both increase as age decreases below 18 and increase substantially for children under 4
 - FNMR seems to decrease as age increases up to about age 60 and then seems to start increasing again
- Most facial recognition algorithms perform worse for females than for males
 - At a fixed threshold many algorithms show higher FMR and FNMR for females
 - A few algorithms show higher FMR but lower FNMR or vice versa
 - No algorithms show lower FMR and FNMR for females
- But What do we mean by female



ISO Technical Report - Definitions

- Reviewing existing studies, males versus females may be called sex or gender but researchers seldom explain how this was defined
- Passports use "Sex", ICAO says "M", "F" or "X"
- But several countries, like Canada, New Zealand and others allow people to select their designation
- A lot of talk about gender identity but none about sex identity
- Do we mean sex or gender when we record this field
- Genetics traits and their phenotypic expressions are difficult to change
- External appearance and behaviour are easy to change
- Biometric performance is affected by both



ISO Technical Report - Definitions

Sex

- A classification as male, female or some other category based on an assessment of primary sexual characteristics
- Note: generally assigned at birth by a third party assessment and can only be changed with significant effort

Gender

- A classification as male, female or some other category based on social, cultural or behavioural factors
- Note: determined through self declaration or self presentation and may change over time
- Note: depending on jurisdiction recognition may or may not require assessment by a third party



ISO Technical Report – Summary of Results

- Facial recognition performance varies significantly with ethnicity
- At a fixed threshold, this can affect both FNMR and FMR
- FNMR can be higher by a factor of two to four
- When matched against individuals from the same ethnic group, FMR can be higher by a factor of two to twenty
- For most algorithms, Asians (including Korea, Singapore, China and Japan) have the highest FMR
- Demographic factors compound with each other
 - Sex, age and ethnicity combine to increase error rates
- When used with Automated Border Control (ABC) systems, these problems compound with ePassport quality variations



Demographic Performance Impact – How bad can it get?

- Consider an airport with ABC gates All numbers are examples and don't represent any real airport (but they are in a realistic range)
- Operational threshold established based on real testing with travellers in the airport
- Measured overall performance of FMR = 0.1%, FNMR = 2%
- For some nations, FNMR = 6%
 - Can be a problem for secondary manual process when large flights arrive from that nation, so staffing levels need to account for this
- Assume passport is swapped with someone of same sex, same country of nationality and similar age (plus or minus five years)
- We can evaluate this using filtered offline matching
- Now overall FMR = 5% for some nationalities
- For young children, FMR = 40%
- This represents a severe security risk



Demographic Performance Impact – Is there a solution?

- Simplest Solution Move to nominal FMR = 0.001%
 - But now FMR = 8% overall and for some countries is over 25%
 - Staffing levels and queue times increase significantly
- Better solution Measure performance for each country individually with imposter matching by age, sex and nationality
 - Now the match threshold can be adjusted for each traveller based on demographic data read from the passport
 - No country has FMR > 0.1%
 - Most countries have FNMR below 2%
 - A few countries have higher FNMR, but this can be managed based on traffic flow from those countries
- Excellent solution IF sufficient reliable performance data available



New Zealand eGates – Detailed Operational Performance

- NZ Customs eGates in operation since 2009
- Arrivals and departures at Auckland, Wellington, Christchurch, Queenstown
- Gates record a "video template" for each traveller
- Passport chip image and demographic details also recorded
- Data retained for a short time for performance measurement then deleted
- Offline matching system plays back video template against passport images from same traveller and a selection of other travellers to compute DET curves
- Filtering system allows imposters to be selected based on age, sex and nationality
- Regular scheduled reports of performance across all airports, all demographic groups



New Zealand eGates – Detailed Operational Performance

- Appropriate match thresholds can then be calculated based on the NZ Customs security policy for each demographic group
- Each gate match / no match decision is based on a threshold which is adjusted based on demographic data read from passport chip
- In real operations, we have measured FMR for some groups that is almost 200 times higher than the nominal FMR
- Minimum age to use eGates is limited to 12
 - Could be as low as 10 based on performance data
 - Lower than that we start to have unacceptably high FNMR or FMR
- All the major problems associated with demographic factors have been mitigated
- This only works because detailed performance metrics were available



Conclusions

- Facial recognition has major security issues for certain demographic groups
- They can be mitigated if sufficient detailed performance information is available and match thresholds are adjusted dynamically
- Even with dynamic thresholds, young children remain a problem
- Recommendations for ABC system deployment should now include mandatory performance testing that focuses on demographic factors and their impact on performance
- Better general guidance on measuring demographic factors in all biometric performance tests would be helpful
- ISO/IEC TR 22116 is a good reference to get started but we need more research





SCIENCE, TECHNOLOGY AND KNOWLEDGE

FOR CANADA'S DEFENCE AND SECURITY

SCIENCE, TECHNOLOGIE ET SAVOIR

POUR LA DÉFENSE ET LA SÉCURITÉ DU CANADA